

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patentee : Yoshio HARADA et al.

Patent No. : 6,783,863

Issued: August 31, 2004

Appl. No. : 09/890,251

I.A. Filed : December 4, 2000

For : PLASMA PROCESSING CONTAINER INTERNAL MEMBER
AND PRODUCTION METHOD THEREOF

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents
U.S. Patent and Trademark Office
Customer Service Window, Mail Stop Petition
Randolph Building
401 Dulany Street
Alexandria VA 22314

Sir:

Please find attached a proposed Certificate of Correction.

Please correct the following error appearing in the printed patent. The error is apparently the fault of the inventors, as per the attached Certificate of Correction

On the cover page of the printed patent, paragraph [75] Inventors, lines 1-5, "**Yoshio Harada**, Hyogo (JP); **Junichi Takeuchi**, Hyogo (JP); **Tatsuya Hamaguchi**, Kanagawa (JP); **Nobuyuki Nagayama**, Yamanashi (JP); **Kouji Mitsuhashi**, Yamanashi (JP)" should be ---**Yoshio Harada**, Hyogo (JP); **Junichi Takeuchi**, Hyogo (JP); **Nobuyuki Nagayama**, Yamanashi (JP); **Kouji Mitsuhashi**, Yamanashi (JP)---.

Therefore, it is respectfully requested that a Certificate of Correction issue in the above-identified patent as follows:


On the cover page of the printed patent, paragraph [75] Inventors, lines 1-5, "**Yoshio Harada**, Hyogo (JP); **Junichi Takeuchi**, Hyogo (JP); **Tatsuya Hamaguchi**, Kanagawa (JP); **Nobuyuki Nagayama**, Yamanashi (JP); **Kouji Mitsuhashi**, Yamanashi (JP)" should be ---**Yoshio Harada**, Hyogo (JP); **Junichi Takeuchi**, Hyogo (JP); **Nobuyuki Nagayama**, Yamanashi (JP); **Kouji Mitsuhashi**, Yamanashi (JP)---.

Patentee notes that a Petition for Correction of Inventorship Under 37 C.F.R. 1.324 is being filed on even date herewith.

Authorization is hereby provided to charge any fee necessary for consideration and/or entry of this Certificate of Correction to Deposit Account No. 19-0089.

Should there be any questions, the Examiner is invited to contact the undersigned at the below-listed number.

Respectfully submitted,
Yoshio HARADA et al.



Bruce H. Bernstein
Reg No. 29,027

February 9, 2007
GREENBLUM & BERNSTEIN, P.L.C.
1950 Roland Clarke Place
Reston, VA 20191
(703) 716-1191

Arnold Turk
Reg. No. 33094

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**Page 1 of 1

PATENT NO. : 6,783,863

APPLICATION NO.: 09/890,251

ISSUE DATE : August 31, 2004

INVENTOR(S) : Yoshio HARADA et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the cover page of the printed patent, paragraph [75] Inventors, lines 1-5, "Yoshio Harada, Hyogo (JP); Junichi Takeuchi, Hyogo (JP); Tatsuya Hamaguchi, Kanagawa (JP); Nobuyuki Nagayama, Yamanashi (JP); Kouji Mitsuhashi, Yamanashi (JP)" should be ---Yoshio Harada, Hyogo (JP); Junichi Takeuchi, Hyogo (JP); Nobuyuki Nagayama, Yamanashi (JP); Kouji Mitsuhashi, Yamanashi (JP)---.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

GREENBLUM & BERNSTEIN, P.L.C.
1950 Roland Clarke Place
Reston, VA 20191

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.